




Mappings in OneLogin enable you to automate changes to user attributes, roles, and groups, based on conditions that you define. Typically, you use mappings to grant application access based on user attributes stored in third-party directories. Roles and groups must be defined before creating a mapping

**Important!** Mappings always override attribute values that are set manually.

## Creating a Mapping

To configure a mapping:

1. Navigate to **Users > Mappings** and click **New Mapping** to open the Mappings page.



2. Give the mapping a name.

←  ✓ ✕ CANCEL SAVE

Conditions +  
-  
Roles include Owner

Actions +  
-  
Set role Admin

3. Set the **Conditions** that determine what gets mapped.



USERS APPS DEVICES ACTIVITY SETTINGS

← Marketing 1 -> Admin MORE ACTIONS SAVE

Conditions +

Match  of the following conditions

Department	equals	Marketing	-
Roles	include	Admin	-

Actions +

Set wepow_role_1	admin	-
Set wepow_team_1	Marketing	-

Check Conditions with Users (optional)

CHECK

4. Set the **Actions** that you want to apply to the objects that meet the conditions.

Actions are selectable from the drop-down list. Some actions take predefined values, which are available by drop-down to the right of the Action field. Other actions take editable values, which you can enter in an edit box to the right of the Action field.

You can set multiple actions.

Take care not to set conflicting actions.

5. Click **Save**.

***\*Note: Always Reapply mappings when changes are made to the current mapping configurations***

